



3 3 3 3  
3 3

3 3 3 3 3 3 3 3 3  
3 3 3 3 3 3 3 3  
3 3 3 3 1 3 3  
3 3 3 1 1 1 1  
1  
3 3 1 1 1 1 1  
3 3 3 3 3 3 3

-  WS1 1 3
-  aQNN1 1 3
-  WQNN1




1 SQN1 1 1 1 1  
1 1 1 1

1 1 1 1

1 1  
1

- 1 1 1 1 3  
3 3 3 3
- 1 1 1 3 3 3  
3 3 3 3 3
- 1 3 3 3 3  
3 3
- 1 1 1 1 3 3 3 aa  
3 3 3 3
- 1 3 3 3 3 3  
3 3 3 3





2

22

Sa2

2

2

2

Address:

1 1 1  
1 1 1  
1 1 1

Latitude

LL LLLP LGMQ

Longitude:

PE PENG MPP

2 2

Parking:

1 1 1

2

2

G1

2

2

2

2

2

2

2

2

1 G

Readiness and Capacity:

I EI L11G1

IT Capacity:

G1

Total Area:

11 EEE1 I

Colocation Space:

+ 1 11EM 111

Building Type:

1 1

Docks:

2

Roof Height:

R1

Ceiling Height:

M

Raised Floor Height:

G

Raised Floor Load Capacity:

GNEE1 11QGE

Fire Rating:

RE1

Wind Rating:

-

Seismic Rating:

1EI

2

2

2

Substation Onsite:

Power Supplier:

<

Power Type:

1 L EEE 1 1NE1

Quantity of Feeds:

EI 1 G

Total System Capacity:

GN

2

2

2

Type:

+ 1 11 1

Topology:

GN 1 11ML1 11 G

Capacity:

LE LQE1

2

Onsite Diesel Tank

LMNEEE1

Capacity:

Onsite Diesel Tank

MQI

Autonomy:

Proximity to Diesel Fuel

L1

Filling Station:

Fuel Service Contracts with

1 1 1M

SLA Delivery?

2

Battery System Type:

1

Battery Backup Time:

01

Type:

1

Topology:

+ 1 1 G

Capacity:

I MEEE1 -

2

System Type:

1

System Specifications:

1 11 1 11 -

Compressor Quantity:

G1

Evaporation Tower:

-

Cooling Units:

ON1

Fresh Air Economizer:

Condenser Type:

- 1

Method for Distributed

1 1

Cooling Flow:

2

2

Authentication Level:

/ 1 1 1

Availability:

I M P

Coverage:

< 1 1

2

2

2

Camera Type:

1 1+ 1 LI ON1 1 1

Monitoring Capabilities:

I M P1 1R1 1 1

2

2

Fire Suppression

+ <

System:

1

Fire Suppression Type:

2

Colocation:

Smart Hands:

Cloud Connect:

Service Fabric:

Connectivity:

Internet bandwidth, Dark Fiber 1 1

2 2

2 NN1 GR 1LNGP POEE11