



1

1 1 1 1

1 1 1

- Mb1 1 1
- X MMM 1 1
- cMM



1 1 1 1 FSPM

1 1 1 1



1 1 1

1 1 1 1 1 1 1 1

1 1

1 1


1 1

1 1

1 1

- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1

1 1 1



1

Address: - 1 1 1 1 13 GB 1  
I 11 13KENS KI E

1

Latitude: I I RLRKRS

Longitude: LP QKQNG

1 1

Parking: 1 1 1 1 1

1 1

1 1

1 1

1 1 1 1 G

1

Readiness and Capacity: I EG 1 NI

IT Capacity: KM

Total Area: MEEE1

Colocation Space: + 1 1EI 1G 1EG 1GM

Building Type: 1 1

Docks:

1

Roof Height: GP1

Ceiling Height: MI 1

Raised Floor Height: G

Raised Floor Load Capacity: QMEE1 1NRE

Fire Rating: SE1

Wind Rating: -

Seismic Rating: -

1 1 1

Substation Onsite:

Power Supplier: I

Power Type: GEEE 1NE

Quantity of Feeds: EI 1 G

Total System Capacity: PI

1 1 1

Type: + 1 1 1 1

Topology: ES1 1 1 1 G

Capacity: GE MLR1

1

Onsite Diesel Tank Capacity: NE EEE1

Onsite Diesel Tank Autonomy: LR1

Proximity to Diesel Fuel Filling Station: GP1

Fuel Service Contracts with SLA Delivery? 1 1 1L1

1

Battery System Type: 1

Battery Backup Time: NI

1

Type: 1

Topology: + 1 1 G

Capacity: NPME1 -

1

System Type: + 1K

System Specifications: + 1K 11 -I

Compressor Quantity: -

Evaporation Tower: -

Cooling Units: KNI

Fresh Air Economizer:

Condenser Type: - 1

Method for Distributed Cooling Flow: 1 1

1 1

Authentication Level: / 1 1 1

Availability: I L P

Coverage: < 1 1

1 1 1

Camera Type: I 1+ 1 KI NM 1 1 1

Monitoring Capabilities: I L P 1 1S 1 1 1

1 1

Fire Suppression System: 1

Fire Suppression Type: 1 < I M

1

Colocation:

Smart Hands:

Cloud Connect:

Service Fabric:

Connectivity: Internet bandwidth, Dark Fiber