























1 '

1

1 1 1

**1**a1

**alll1** 1

1 1 1

HI 1 1

1

1 1**R I 1** 

1 1 1 1 1 1 1 G

Readiness and Capacity: | EGM 1GE

IT Capacity: | P1

Total Area: | S RNI 1

Colocation Space: | 1 | 1EP 1G

Building Type: | 1 | 1

Docks:

Roof Height: 

Ceiling Height: 

ME1

Raised Floor Height: 

G

Raised Floor Load Capacity: 

Fire Rating: 

TE1

Wind Rating:

Wind Rating:

Seismic Rating:

1 1 1

Substation Onsite:

Power Supplier:

 Power Type:
 PT EEE 1PE

 Quantity of Feeds:
 EI 1 G

 Total System Capacity:
 ΦNI

 1
 1

 Type:
 1

 1
 1

 Topology:
 ET1

 1
 1

 G

Capacity: | E | NE1

Ascenty
A Digital Resiliy and Brookfield Infractructure JV

Onsite Diesel Tank
Capacity:
Onsite Diesel Tank
Autonomy:
Proximity to Diesel Fuel
Filling Station:
Fuel Service Contracts with
SLA Delivery?

Possible Diesel Fuel
M
Filling Station:
1 1 1M

Battery System Type:

Battery Backup Time:

Type: |
Topology: |
Capacity: |

System Type:

System Specifications:

1 11< | < | Compressor Quantity:

Evaporation Tower:

Cooling Units:

RP1

Condenser Type: 1 1

Method for Distributed 1 1 1

Cooling Flow:

Authentication Level: + 1 1 +

Availability: I M R

Coverage: 1 1

1 1 1

Camera Type: < 1 1 KI PNI 1 1 1

Monitoring Capabilities: I M RI 1 1 1 1

1 1

Fire Suppression
System:

Fire Suppression Type:

1 < G N1

Colocation:

Smart Hands:

Cloud Connect:

Service Fabric:

Connectivity: Internet bandwidth, Dark Fiber

Fresh Air Economizer: